

Module Settings Interface

After selecting a module to assign or edit (see [Assigning Modules](#)) or when using [PluginModule](#) to display a module in a page or other feature, there are various settings available for configuring the module. This page explains how the interface works for making those settings. See the next page, [Module Settings Parameters](#) for information on the module parameters themselves.

Admin Modules Page

Beginning with [Tiki7](#), parameters are set in a form with a separate input field for each setting, grouped by tabs: Basic, Module (if applicable - for parameters specific to that module), Appearance, Visibility. Mouse over the screen shots below to see examples:

7x - Basic


7x - Appearance

7x - Visibility

In versions 4x - 6x, parameters are set in a form with a separate input field for each setting. Mouse over the thumbnail below to see an example:



In version 3x and prior, there are separate input fields for certain basic settings, but all other parameters are set in a single input field using a "url parameter format". With this format, parameters are set as equal to a value, like "notitle=y", separated by an "&". For instance: "notitle=y&lang=fr". Mouse over the screen shot below to see an example:



PluginModule

Modules can be displayed in wiki pages and other Tiki features (blogs, articles, etc.) using [PluginModule](#). Use the parameter names below (not the labels) to set parameters for the plugin using the syntax explained on [PluginModule](#) and the documentation page for the individual module (see [Index of Modules](#) for links to the individual pages).

Where To Go From Here

Now that you know how the interface works, go to the next page, [Module Settings Parameters](#), to learn about the module parameters themselves.
