

Plugin Aliases tab

Overview

Use this tab to create a new [wiki plugin](#), by using a modified copy of an existing [plugin](#).

Related Topics

- [Wiki Plugin](#)
- [Plugin Alias](#)

To Access

From the [Text Area](#) Admin page, click the **Plugin Aliases** tab.

Note

if applicable

The screenshot shows the 'Text area' admin interface with the 'Plugin Aliases' tab selected. The interface is divided into several sections:

- About plugin aliases**: A summary of what Tiki plugin aliases allow you to do, with a link to find out more.
- General Information**: Fields for 'Plugin Name' (input), 'Base Plugin' (dropdown: 'addtocart'), 'Name' (input), 'Description' (input), 'Body Label' (input), 'Dependencies' (input), 'Filter' (input: 'xss'), 'Validation' (dropdown: 'none'), and 'Inline (No Plugin Edit UI)' (checkbox).
- Simple Plugin Arguments**: A section for adding arguments, with fields for 'New Argument' (input) and 'Default' (input).
- Plugin Parameter Documentation**: A section for documentation, with a 'Plugin Body' section containing an 'Ignore User Input' checkbox.
- Default Content**: A large text area for entering default content.
- Parameters**: A section for managing parameters.
- Composed Plugin Arguments**: A section for managing composed arguments.

At the bottom right is a 'Change preferences' button.

Plugin Aliases tab

Setting	Description	Default
---------	-------------	---------

The jQuery Sortable Tables feature must be activated for the sort feature to work.

Available Alias

exhibitor exposant pavillon schedule speaker

New

General Information

Plugin Name pavillon
Base Plugin trackerlist
Name Pavilion
Description Liste of pavillons
Dependencies wikiplugin_pavillon
Filter xss
Validation none
Inline (No Plugin Edit UI)

Plugin Parameter Documentation

filtervalue
Name Pavilion
Description Name of pavillon
Required
Safe
Filter xss
Name
Description
Required
Safe
Filter xss

Plugin Body

Ignore User Input
Default Content

Parameters

Encoding none
Argument Source (if different)
Default Value

Simple Plugin Arguments

trackerId	Default	11
fields	Default	194:220:196
showlinks	Default	y
status	Default	oc
max	Default	-1
filterfield	Default	220
filtervalue	Default	
showlastmi	Default	y
	Default	

Composed Plugin Arguments

Parameters
Encoding none
Argument Source (if different)
Default Value

