

## Footnote and Footnote Area Plugins

These [wiki plugins](#), work together to create automatically numbered footnotes. The superscript footnote numbers (like this<sup>[1]</sup>) and text are set with the Footnote plugin, and then are displayed using the Footnote Area (Footnotearea) plugin.

### Parameters

Create automatically numbered footnotes (together with PluginFootnoteArea)

*Introduced in Tiki 3.*

[Go to the source code](#)

*Preferences required:* wikiplugin\_footnote

| Parameters             | Accepted Values                                                                                                        | Description                                                                              | Default | Since |
|------------------------|------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------|---------|-------|
| (body of plugin)       |                                                                                                                        | The footnote                                                                             |         |       |
| <code>class</code>     | Valid CSS class                                                                                                        | Add class to footnotearea                                                                |         | 14.0  |
| <code>sameas</code>    | tag name (since 17) or footnote number                                                                                 | Tag to existing footnote number                                                          |         | 5.0   |
| <code>sameastag</code> | One word made of alphanumeric characters                                                                               | Tag to existing footnote by its Tag                                                      |         | 15.0  |
| <code>scheme</code>    | Scheme strings (ClassName: <a href="#">numStyle</a> ). Multiples may be separated by   (roman-upper:className decimal) | Segregate footnotes by class in footnotearea. Apply different numbering style (optional) |         | 17.0  |
| <code>tag</code>       | One word made of alphanumeric characters                                                                               | Tag footnote with unique identifier                                                      |         | 15.0  |

### Usage

The parameters are optional for these plugins (nothing is required between the parentheses) but here are the steps that need to be followed for them to work:

- 1. Place the Footnote plugin just after the text to be footnoted.**
  - This will create a superscript footnote number next to the text.
  - The footnote number automatically links to the footnote text (of course this link only works if the Footnotearea plugin is also used).
  - The footnote numbers are automatically incremented based on how many Footnote plugins are used.
- 2. Enter the text of the footnote within the Footnote plugin opening and closing tag.**
- 3. Place the Footnote Area plugin at the end of the page in order to display the footnotes.**
  - All footnotes will be displayed in order at the bottom of the page. There may be a visual separator, depending on the theme in use.
  - The footnote numbers here link back to where the text was footnoted.
  - Note that the links will not function if there is a page break between the relevant Footnote and

Footnotearea plugins. Also, the Footnotearea plugin must be placed at the end of the page because no content will display after the plugin.

## Examples

### Basic syntax

sameas (after Tiki15, use sameastag instead)

First, input the Footnote plugin syntax following the text you want footnoted:

```
Text to be footnoted{FOOTNOTE()}Footnote text to be displayed elsewhere{FOOTNOTE}
```

```
Text to be footnoted{footnote(sameas="1")}{FOOTNOTE}
```

Second, add the Footnotearea plugin syntax to display the footnotes at the end of the page:

```
{footnotearea}
```

**Note:** the *sameas* parameter has the big issue that adding a new footnote above the other footnotes requires that you renumber all *sameas* footnotes below the new footnote.

### sameastag (after Tiki15)

Starting at Tiki15, the *sameastag* parameter allows tagging footnotes for later reuse.

```
Text to be footnoted{footnote(tag="t1")}Footnote text to be displayed elsewhere{FOOTNOTE}
```

```
Text to be footnoted{footnote(sameastag="t1")}{FOOTNOTE}
```

Second, add the Footnotearea plugin syntax to display the footnotes at the end of the page:

```
{footnotearea}
```

## Example

*This code:*

### Example syntax using Footnote and Footnotearea plugins

In Blume's outdated view, the Classic period of music{FOOTNOTE()}Sometimes dated from 1740 to 1828, from when C.P.E. Bach began service in the court of Frederick the Great to when Schubert died. {FOOTNOTE} used rhythm "with the finest nuance and sensibility,"{FOOTNOTE(tag="fblume")}Friedrich Blume, "Classic and Romantic Music: a Comprehensive Survey", trans. M.D. Herter Norton (New York: W.W. Norton and Co., Inc., 1970), p. 133.{FOOTNOTE} whereas Schubert and the Romantics often used rhythm in repetitive, stereotyped patterns."{FOOTNOTE()} "Ibid".{FOOTNOTE} It is now recognized that those features of Schubert's work which give us such pleasure rest on a magnificently conceived and executed sense of tonal architecture. Duplicate footnotes section: This is to show examples of the -+sameas+- and -

```
+sameastag+- parameters {FOOTNOTE(sameastag="1")}{FOOTNOTE}
{FOOTNOTE(sameastag="fblume")}{FOOTNOTE} and check duplicates
{FOOTNOTE()}"Ibid".{FOOTNOTE} {FOOTNOTE(class="translator")}translator notes{FOOTNOTE}
{FOOTNOTE(class="author")}author notes{FOOTNOTE} %%% %%% {footnotearea}
```

Would produce :

Example result

In Blume's outdated view, the Classic period of music<sup>1</sup> used rhythm "with the finest nuance and sensibility,"<sup>2</sup> whereas Schubert and the Romantics often used rhythm in repetitive, stereotyped patterns."<sup>3</sup> It is now recognized that those features of Schubert's work which give us such pleasure rest on a magnificently conceived and executed sense of tonal architecture.

Duplicate footnotes section:

This is to show examples of the `sameas` and `sameastag` parameters<sup>1 2</sup> and check duplicates<sup>4 5 6</sup>

<sup>1</sup> Sometimes dated from 1740 to 1828, from when C.P.E. Bach began service in the court of Frederick the Great to when Schubert died.

<sup>2</sup> Friedrich Blume, *Classic and Romantic Music: a Comprehensive Survey*, trans. M.D. Herter Norton (New York: W.W. Norton and Co., Inc., 1970), p. 133.

<sup>3</sup> *Ibid.*

<sup>4</sup> *Ibid.*

<sup>5</sup> translator notes

<sup>6</sup> author notes

Related pages

- [PluginQuote](#)
- [PluginSup](#) - applies superscript formatting to text
- [References](#)
- [Zotero](#)

Alias

- [Footer](#)