

Video - Kaltura

Option	Description	Default
Kaltura video management	Integration with the Kaltura video management platform	Disabled
Plugin Kaltura Video	Display a video created through the Kaltura feature	Enabled
Kaltura Video	Display a series of attached Kaltura videos.	Disabled
Kaltura service URL	for example, https://www.kaltura.com/	https://www.kaltura.com/
Partner ID	Kaltura Partner ID	None
Admin secret	Kaltura partner-setting admin secret.	None
User secret	Kaltura partner-setting user secret.	None
Kaltura video player ID	Kaltura Dynamic Player (KDP) user interface configuration ID ☰ Playlist Horizontal New Player Test With Selection of Thumbnail Horizontal player w/multiple playlists Player with no share button Player with custom watermark	None
Kaltura video player ID (in entry edit mode)	Kaltura Dynamic Player (KDP) user interface configuration ID for use when editing. You can use a player which also has an option to select a frame as video thumbnail ☰ Playlist Horizontal New Player Test With Selection of Thumbnail Horizontal player w/multiple playlists Player with no share button Player with custom watermark	None
Show remixes from old versions of Kaltura	Show remixes from old versions of Kaltura (remixing is no longer supported)	Disabled

The jQuery Sortable Tables feature must be activated for the sort feature to work.

Option	Description	Default
Kaltura video management	Integration with the Kaltura video management platform	Disabled
Plugin Kaltura Video	Display a video created through the Kaltura feature	Enabled
Kaltura Video	Display a series of attached Kaltura videos.	Disabled
Kaltura service URL	for example, https://www.kaltura.com/	https://www.kaltura.com/

Option	Description	Default
Partner ID	Kaltura Partner ID	None
Admin secret	Kaltura partner-setting admin secret.	None
User secret	Kaltura partner-setting user secret.	None
Kaltura video player ID	Kaltura Dynamic Player (KDP) user interface configuration ID ☰ Playlist Horizontal New Player Test With Selection of Thumbnail Horizontal player w/multiple playlists Player with no share button Player with custom watermark	None
Kaltura video player ID (in entry edit mode)	Kaltura Dynamic Player (KDP) user interface configuration ID for use when editing. You can use a player which also has an option to select a frame as video thumbnail ☰ Playlist Horizontal New Player Test With Selection of Thumbnail Horizontal player w/multiple playlists Player with no share button Player with custom watermark	None
KCW UI configuration ID	Kaltura Configuration Wizard (KCW) user interface configuration ID	None
Show remixes from old versions of Kaltura	Show remixes from old versions of Kaltura (remixing is no longer supported)	Disabled

The jQuery Sortable Tables feature must be activated for the sort feature to work.

Option	Description	Default
Kaltura video management	Integration with the Kaltura video management platform	Disabled
Plugin Kaltura Video	Display a video created through the Kaltura feature	Enabled
Kaltura Video	Display a series of attached Kaltura videos.	Disabled
Kaltura service URL	for example, https://www.kaltura.com/	https://www.kaltura.com/
Partner ID	Kaltura Partner ID	None
Admin secret	Kaltura partner-setting admin secret.	None
User secret	Kaltura partner-setting user secret.	None
Kaltura video player ID	Kaltura Dynamic Player (KDP) user interface configuration ID	None

Option	Description	Default
Kaltura video player ID (in entry edit mode)	Kaltura Dynamic Player (KDP) user interface configuration ID for use when editing. You can use a player which also has an option to select a frame as video thumbnail	None
KCW UI configuration ID	Kaltura Configuration Wizard (KCW) user interface configuration ID	None
Show remixes from old versions of Kaltura	Show remixes from old versions of Kaltura (remixing is no longer supported)	Disabled

The jQuery Sortable Tables feature must be activated for the sort feature to work.

Option	Description	Default
Kaltura video management	Integration with the Kaltura video management platform	Disabled
Plugin Kaltura Video	Display a video created through the Kaltura feature	Enabled
Kaltura Video	Display a series of attached Kaltura videos.	Disabled
Kaltura service URL	for example, https://www.kaltura.com/	https://www.kaltura.com/
Partner ID	Kaltura Partner ID	None
Admin secret	Kaltura partner-setting admin secret.	None
User secret	Kaltura partner-setting user secret.	None
Kaltura video player ID	Kaltura Dynamic Player (KDP) user interface configuration ID	None
Kaltura video player ID (in entry edit mode)	Kaltura Dynamic Player (KDP) user interface configuration ID for use when editing. You can use a player which also has an option to select a frame as video thumbnail	None
KCW UI configuration ID	Kaltura Configuration Wizard (KCW) user interface configuration ID	None
Show remixes from old versions of Kaltura	Show remixes from old versions of Kaltura (remixing is no longer supported)	Disabled

The jQuery Sortable Tables feature must be activated for the sort feature to work.

Web Services

Option	Description	Default
Web services	Can receive web services via JSON or YAML.	Disabled
Default cache	Cache time in seconds to use if the webservice does not supply "max-age" or "no-cache" in the response.	300 seconds

The jQuery Sortable Tables feature must be activated for the sort feature to work.

Option	Description	Default
Web services	Can receive web services via JSON or YAML.	Disabled
Default cache	Cache time in seconds to use if the webservice does not supply "max-age" or "no-cache" in the response.	300 seconds

The jQuery Sortable Tables feature must be activated for the sort feature to work.

Option	Description	Default
Web services	Can receive web services via JSON or YAML.	Disabled
Default cache	Cache time in seconds to use if the webservice does not supply "max-age" or "no-cache" in the response.	300 seconds

The jQuery Sortable Tables feature must be activated for the sort feature to work.

Option	Description	Default
Web services	Can receive web services via JSON or YAML.	Disabled
Default cache	Cache time in seconds to use if the webservice does not supply "max-age" or "no-cache" in the response.	300 seconds

The jQuery Sortable Tables feature must be activated for the sort feature to work.

Wiki - Features

Wiki - Flagged revision

Option	Description	Default
Revision approval	Uses flagged revisions to hide unapproved wiki page revisions from users without necessary privileges.	Disabled
Revision approval categories	List of category IDs for which revision approval is required.	None

The jQuery Sortable Tables feature must be activated for the sort feature to work.

Option	Description	Default
Revision approval	Uses flagged revisions to hide unapproved wiki page revisions from users without necessary privileges.	Disabled
Revision approval categories	List of category IDs for which revision approval is required.	None

The jQuery Sortable Tables feature must be activated for the sort feature to work.



Option	Description	Default
Revision approval	Uses flagged revisions to hide unapproved wiki page revisions from users without necessary privileges.	Disabled
Revision approval categories	List of category IDs for which revision approval is required.	None

The jQuery Sortable Tables feature must be activated for the sort feature to work.

Option	Description	Default
Revision approval	Uses flagged revisions to hide unapproved wiki page revisions from users without necessary privileges.	Disabled
Revision approval categories	List of category IDs for which revision approval is required.	None

The jQuery Sortable Tables feature must be activated for the sort feature to work.

Wiki - General preferences

Option	Description	Default
Wiki	Pages and collaboratively authored documents with edit history.	Enabled
Wiki homepage	The default home page of the wiki when no other page is specified. The page will be created if it does not already exist.	HomePage
Wiki URL scheme	Alter the SEFURL pattern for page names.  Use the "View" action to regenerate your URLs after changing this setting.  Replace spaces with dashes Replace spaces with underscores URL Encode (Tiki Classic)	Replace spaces with dashes

Option	Description	Default
Prevent special characters in page names	Some characters in a wiki page name may prevent the page from being easily accessible via the URL or wiki links. This option prevents the creation of page names with such characters.	Enabled
Wiki link format	Level of special characters acceptable in wiki links for page names. For example: Page éàî <i>* "Strict" includes only basic characters such as a-z and 0-9. A site that uses accented or special characters in page names should not use "strict".</i> ☰ Complete Relaxed Strict	Complete
Page name display stripper	The character(s) to use as a delimiter in the page name. The portion of the name after the character(s) will not be displayed. If the page name display stripper conflicts with the namespace separator, the namespace is used and the page name display is not stripped.	None
Display page name as page title	Display the page name at the top of each page as page title. If not enabled, the page content should contain an h1 heading to function as the page title, or the page description can be used as the title.	Disabled
Display the page name above the page area	Display the page name in small text at the top of each page (above the page's content).	Disabled
Display the page name inside the page content	Display the page name inside the page content.	Disabled
Add an option to hide the page title per wiki page	Enable the page title to not be displayed, on a per-page basis.	Enabled
Anchor links on headings	Cause a link icon to appear on hover over each heading, useful for sharing the URL to an exact location on a page. ☰ h1 only h2 and above h3 and above h4 and above h5 and above h6 and above none (disabled)	h6 and above
Show the page description	Display the wiki page description between the page title and the page content.	Disabled
Display input at top of Edit tab	More prominent location than on Properties tab	Disabled
Show the page ID	Each wiki page has a numeric ID and this can be displayed.	Disabled
Show the page version	Display the page version information when viewing the page.	Disabled

Option	Description	Default
Wiki author list style	Change the list format that is used to display the authors of the page. ☰ Creator and Author Business style Collaborative style Page last modified on none (disabled)	none (disabled)
Specify wiki author list style per page	Enable the style in which the author list is displayed to be modified on a per-page basis.	Disabled
Encourage contribution to wiki pages by anonymous	When a page is not editable because the user is anonymous, display the edit buttons anyway. The visitor will be prompted with a log-in screen and will be encouraged to register in order to be able to edit the page.	Disabled
Show/hide icon before headings	For use with the !!- or !!+ syntax. Activating this will display the show/hide icon at the left of the heading; otherwise, it displays below.	Disabled
Wiki page edit buttons location	Specify the location of the Save, Preview, and Cancel buttons on the wiki edit page. ☰ Top Bottom Both	Bottom
Wiki navigation bar location	When using the ...page... <i>Wiki page pagination has not been enabled.</i> page break wiki syntax ☰ Top Bottom Both	Bottom
Wiki top line location	Page description, page actions, icons, backlinks.... ☰ Top Bottom Both Neither	Top
Wiki buttons	Specify the location of the wiki-specific options (such as Backlinks, Page Description, and so on) ☰ Top Bottom Neither	Bottom
Undo		Disabled
Allow minor edits of wiki pages	Minor edits don't flag new content for translation and don't cause watch notifications to be sent (unless "Watch minor edits" is enabled).	Disabled
Allow plugin-specific edits	Add an icon next to each plugin usage to enable editing the plugin in a popup form, without needing to edit the whole page. This feature is unavailable outside wiki pages, whether or not this preference is enabled.	Enabled
Allow section-specific edits	Add an edit icon at the top of each heading-demarcated wiki page section (up to a configurable maximum level) to ease the editing of a single section.	Enabled
Only display focused edit icons (for sections and/or plugins) on request	Focused edit icons will only display after a per-session "Edit icons" preference is enabled. This preference is defined directly from any wiki page.	Enabled

Option	Description	Default
Section-specific edits maximum level	Prevent a proliferation of edit icons for low-level sections. For example, when set to 2, no edit icons will show for third-level (HTML h3) sections. ☰ All 1 2 3 4 5 6	0
Allow HTML	Per-page option: HTML tags are used to create elements of the wiki page, instead of being displayed as code. ⚠ <i>This is potentially dangerous, as it allows raw HTML to be added. Be sure to enable this option only if trusted users can create and edit menus.</i>	Disabled
Mandatory wiki page edit summary	Reject save attempts that do not include an edit summary describing the changes made.	Disabled
Footnotes	Logged-in users can write personal footnotes when editing a page. The footnotes display immediately below the wiki page only to the user who edited it. This is a good way for users to make personal notes about pages..	Disabled
Position of tags selection	Place the tags selection more prominently than under the "Properties" tab. ☰ Properties tab Edit tab Tags tab	Properties tab
Warn before page lock timeout	Provide a JavaScript alert before the user's lock on a page times out.	Enabled
Warn on edit conflict	When another user is editing a page, spreadsheet or tracker item, you will be warned about a possible conflict. This feature is useful to prevent collisions when editing.	Enabled
Edit idle timeout	Select the amount of time (in minutes) after which a user's edit session will expire. If the user does not save or preview their work, it will be lost. Tiki will display a "countdown time" in the user's browser and display an alert when only a minute remains. ☰ 1 2 5 10 15 30	2 minutes
Favorite language for new pages	This favorite language will automatically be used for new wiki pages by default. ☰ None Albanian (Shqip, sq) Arabic (العربية, ar) Brazilian Portuguese (Português Brasileiro, pt-br) Bulgarian (български език, bg) Catalan (Català, ca) Croatian (Hrvatski, hr) Czech (Česky, cs) Danish (Dansk, da) Dutch (Nederlands, nl) English (en) English British (British English, en-uk) Farsi (فارسی, fa) Fijian (fj) Finnish (Suomi, fi) F...	None
Support Tiki's "wiki syntax" in HTML pages	This allows a mixture of wiki syntax and HTML in the code of wiki pages where HTML is allowed.	Enabled

Option	Description	Default
Full WYSIWYG editor	WYSIWYG is an acronym for "What You See Is What You Get". CKEditor is used to provide a word-processor-like editing experience. 🛠️	Enabled
Limit wiki page categories to those under this category	If an error message indicates a mandatory category is required when editing a wiki page, set this option to "None". ⋮ None All Archived Editorial Board Meeting Files example Keywords Retired Status Status::3.In Progress Templates Versions Versions::1.x Versions::10.x Versions::11.x Versions::12.x Versions::13.x Versions::14.x Versions::15.x Versions::16.x Versions::17.x Versions::18.x Versions::2.x Versions::3.x Versions::4.x Versions::5.x Versions::6.x Versi...	None
Log bytes changes (+/-) in action logs	⚠️ <i>May impact performance</i>	Disabled
Wiki content templates	Prewritten content (probably partial content) for a wiki page	Disabled
Lock Content Templates	Enable users to lock content templates and so prevent others from editing them	Disabled
Wiki auto-toc	Automatic table of contents generation for wiki pages. The generated table of contents will display as a fixed-position aside next to the page contents. This setting can be toggled per page, in the page properties.	Disabled
Inline auto-toc	Change the display of the table of contents for wiki pages to inline.	Disabled
Table of contents position	Position of the table of contents, either top, left, right (right is the default) ⋮ Right Left Top	Right
Table of contents offset	Offset for table of contents. Useful when there is a fixed navigation bar. If used with inline TOC, will behave as a top margin.	10 pixels
Table of contents on every page	Set the default for the table of contents (default "no" and can be overridden per page) ⋮ No Yes	No
Tabs	Determine if the table of contents includes the content of Tabs plugin or not. ⋮ No Yes	No
Plugin Attachment	Display an attachment or a list of them	Enabled
Plugin Author	Add popups and color coding that identifies authors	Enabled

Option	Description	Default
Plugin Backlinks	List all pages and tracker items that link to a particular page	Disabled
Plugin Include	Include a portion of another wiki page	Enabled
Force link to included page	When only a portion of page is included, create a "See full page" link to the included page. It has the same effect of setting "linkoriginal=y" parameter every time Plugin Include is used.	Disabled
Plugin List Pages	List pages based on various criteria	Disabled
Plugin Random Include	Include a random page's content.	Disabled
Plugin Show Pages	Find pages by searching within page names	Disabled
Plugin Slideshow	Create a slideshow from the content of a wiki page	Disabled
Plugin Title Search	Search page titles	Disabled
Plugin Transclude	Include the content of another page with certain changes	Enabled
Plugin Wanted Pages	Show location of links to pages not yet created	Disabled
Plugin Footnote	Create automatically numbered footnotes (together with PluginFootnoteArea)	Disabled
Plugin Footnote Area	Create automatically numbered footnotes (together with PluginFootnote)	Disabled
Display footnote content in popover	When the mouse is over the footnote reference, show footnote content in a popover window.	Enabled

The jQuery Sortable Tables feature must be activated for the sort feature to work.

Option	Description	Default
Wiki	Pages and collaboratively authored documents with edit history.	Enabled
Wiki homepage	The default home page of the wiki when no other page is specified. The page will be created if it does not already exist.	HomePage
Wiki URL scheme	<p>Alter the SEFURL pattern for page names.</p> <p>👉 Use the "View" action to regenerate your URLs after changing this setting.</p> <p>☰ Replace spaces with dashes Replace spaces with underscores URL Encode (Tiki Classic)</p>	Replace spaces with dashes

Option	Description	Default
Prevent special characters in page names	Some characters in a wiki page name may prevent the page from being easily accessible via the URL or wiki links. This option prevents the creation of page names with such characters.	Enabled
Wiki link format	Level of special characters acceptable in wiki links for page names. For example: Page éâî <i>* "Strict" includes only basic characters such as a-z and 0-9. A site that uses accented or special characters in page names should not use "strict".</i> ☰ Complete Relaxed Strict	Complete
Page name display stripper	The character(s) to use as a delimiter in the page name. The portion of the name after the character(s) will not be displayed. If the page name display stripper conflicts with the namespace separator, the namespace is used and the page name display is not stripped.	None
Display page name as page title	Display the page name at the top of each page as page title. If not enabled, the page content should contain an h1 heading to function as the page title, or the page description can be used as the title.	Enabled
Display the page name above the page area	Display the page name in small text at the top of each page (above the page's content).	Disabled
Display the page name inside the page content	Display the page name inside the page content.	Disabled
Adding the content of the title tag	allows the application to be better referenced with a personalized title tag	Disabled
Add an option to hide the page title per wiki page	Enable the page title to not be displayed, on a per-page basis.	Enabled
Anchor links on headings	Cause a link icon to appear on hover over each heading, useful for sharing the URL to an exact location on a page. ☰ h1 only h2 and above h3 and above h4 and above h5 and above h6 and above none (disabled)	h6 and above
Show the page description	Display the wiki page description between the page title and the page content.	Disabled
Show the page ID	Each wiki page has a numeric ID and this can be displayed.	Disabled
Show the page version	Display the page version information when viewing the page.	Disabled



Option	Description	Default
Wiki author list style	Change the list format that is used to display the authors of the page. ☰ Creator and Author Business style Collaborative style Page last modified on none (disabled)	none (disabled)
Specify wiki author list style per page	Enable the style in which the author list is displayed to be modified on a per-page basis.	Disabled
Encourage contribution to wiki pages by anonymous	When a page is not editable because the user is anonymous, display the edit buttons anyway. The visitor will be prompted with a log-in screen and will be encouraged to register in order to be able to edit the page.	Disabled
Show/hide icon before headings	For use with the !!- or !!+ syntax. Activating this will display the show/hide icon at the left of the heading; otherwise, it displays below.	Disabled
Wiki page edit buttons location	Specify the location of the Save, Preview, and Cancel buttons on the wiki edit page. ☰ Top Bottom Both	Bottom
Wiki navigation bar location	When using the ...page... <i>Wiki page pagination has not been enabled.</i> page break wiki syntax ☰ Top Bottom Both	Bottom
Wiki top line location	Page description, page actions, icons, backlinks.... ☰ Top Bottom Both Neither	Top
Wiki buttons	Specify the location of the wiki-specific options (such as Backlinks, Page Description, and so on) ☰ Top Bottom Neither	Bottom
Undo		Disabled
Allow minor edits of wiki pages	Minor edits don't flag new content for translation and don't cause watch notifications to be sent (unless "Watch minor edits" is enabled).	Disabled
Allow plugin-specific edits	Add an icon next to each plugin usage to enable editing the plugin in a popup form, without needing to edit the whole page. This feature is unavailable outside wiki pages, whether or not this preference is enabled.	Enabled
Allow section-specific edits	Add an edit icon at the top of each heading-demarcated wiki page section (up to a configurable maximum level) to ease the editing of a single section.	Enabled
Only display focused edit icons (for sections and/or plugins) on request	Focused edit icons will only display after a per-session "Edit icons" preference is enabled. This preference is defined directly from any wiki page.	Enabled

Option	Description	Default
Section-specific edits maximum level	Prevent a proliferation of edit icons for low-level sections. For example, when set to 2, no edit icons will show for third-level (HTML h3) sections. ☰ All 1 2 3 4 5 6	0
Allow HTML	Per-page option: HTML tags are used to create elements of the wiki page, instead of being displayed as code. ⚠ <i>This is potentially dangerous, as it allows raw HTML to be added. Be sure to enable this option only if trusted users can create and edit menus.</i>	Disabled
Mandatory wiki page edit summary	Reject save attempts that do not include an edit summary describing the changes made.	Disabled
Footnotes	Logged-in users can write personal footnotes when editing a page. The footnotes display immediately below the wiki page only to the user who edited it. This is a good way for users to make personal notes about pages..	Disabled
Position of tags selection	Place the tags selection more prominently than under the "Properties" tab. ☰ Properties tab Edit tab Tags tab	Properties tab
Warn before page lock timeout	Provide a JavaScript alert before the user's lock on a page times out.	Enabled
Warn on edit conflict	When another user is editing a page, spreadsheet or tracker item, you will be warned about a possible conflict. This feature is useful to prevent collisions when editing.	Enabled
Edit idle timeout	Select the amount of time (in minutes) after which a user's edit session will expire. If the user does not save or preview their work, it will be lost. Tiki will display a "countdown time" in the user's browser and display an alert when only a minute remains. ☰ 1 2 5 10 15 30	2 minutes
Favorite language for new pages	This favorite language will automatically be used for new wiki pages by default. ☰ None Albanian (Shqip, sq) Arabic (العربية, ar) Brazilian Portuguese (Português Brasileiro, pt-br) Bulgarian (български език, bg) Catalan (Català, ca) Croatian (Hrvatski, hr) Czech (Česky, cs) Danish (Dansk, da) Dutch (Nederlands, nl) English (en) English British (British English, en-uk) Farsi (فارسی, fa) Fijian (fj) Finnish (Suomi, fi) F...	None
Support Tiki's "wiki syntax" in HTML pages	This allows a mixture of wiki syntax and HTML in the code of wiki pages where HTML is allowed.	Enabled

Option	Description	Default
Full WYSIWYG editor	WYSIWYG is an acronym for "What You See Is What You Get". CKEditor is used to provide a word-processor-like editing experience. 🛠️	Disabled
Limit wiki page categories to those under this category	<p>If an error message indicates a mandatory category is required when editing a wiki page, set this option to "None".</p> <p>☰ None All Archived Editorial Board Meeting Files example Keywords Retired Status Status::3.In Progress Templates Versions Versions::1.x Versions::10.x Versions::11.x Versions::12.x Versions::13.x Versions::14.x Versions::15.x Versions::16.x Versions::17.x Versions::18.x Versions::2.x Versions::3.x Versions::4.x Versions::5.x Versions::6.x Versi...</p>	None
Log bytes changes (+/-) in action logs	⚠️ <i>May impact performance</i>	Disabled
Wiki content templates	Prewritten content (probably partial content) for a wiki page	Disabled
Lock Content Templates	Enable users to lock content templates and so prevent others from editing them	Disabled
Wiki auto-toc	Automatic table of contents generation for wiki pages. The generated table of contents will display as a fixed-position aside next to the page contents. This setting can be toggled per page, in the page properties.	Disabled
Inline auto-toc	Change the display of the table of contents for wiki pages to inline.	Disabled
Table of contents position	<p>Position of the table of contents, either top, left, right (right is the default)</p> <p>☰ Right Left Top</p>	Right
Table of contents offset	Offset for table of contents. Useful when there is a fixed navigation bar. If used with inline TOC, will behave as a top margin.	10 pixels
Table of contents on every page	<p>Set the default for the table of contents (default "no" and can be overridden per page)</p> <p>☰ No Yes</p>	No
Tabs	<p>Determine if the table of contents includes the content of Tabs plugin or not.</p> <p>☰ No Yes</p>	No
Plugin Attachment	Display an attachment or a list of them	Enabled
Plugin Author	Add popups and color coding that identifies authors	Enabled

Option	Description	Default
Plugin Backlinks	List all pages and tracker items that link to a particular page	Disabled
Plugin Include	Include a portion of another wiki page	Enabled
Force link to included page	When only a portion of page is included, create a "See full page" link to the included page. It has the same effect of setting "linkoriginal=y" parameter every time Plugin Include is used.	Disabled
Plugin List Pages	List pages based on various criteria	Disabled
Plugin Random Include	Include a random page's content.	Disabled
Plugin Show Pages	Find pages by searching within page names	Disabled
Plugin Slideshow	Create a slideshow from the content of a wiki page	Disabled
Plugin Title Search	Search page titles	Disabled
Plugin Transclude	Include the content of another page with certain changes	Enabled
Plugin Wanted Pages	Show location of links to pages not yet created	Disabled
Plugin Footnote	Create automatically numbered footnotes (together with PluginFootnoteArea)	Disabled
Plugin Footnote Area	Create automatically numbered footnotes (together with PluginFootnote)	Disabled
Display footnote content in popover	When the mouse is over the footnote reference, show footnote content in a popover window.	Enabled




The jQuery Sortable Tables feature must be activated for the sort feature to work.

Option	Description	Default
Wiki	Pages and collaboratively authored documents with edit history.	Enabled
Wiki homepage	The default home page of the wiki when no other page is specified. The page will be created if it does not already exist.	HomePage
Wiki URL scheme	<p>Alter the SEFURL pattern for page names.</p> <p> Use the "View" action to regenerate your URLs after changing this setting.</p> <p> Replace spaces with dashes Replace spaces with underscores URL Encode (Tiki Classic)</p>	Replace spaces with dashes

Option	Description	Default
Prevent special characters in page names	Some characters in a wiki page name may prevent the page from being easily accessible via the URL or wiki links. This option prevents the creation of page names with such characters.	Enabled
Wiki link format	Level of special characters acceptable in wiki links for page names. For example: Page éâî * "Strict" includes only basic characters such as a-z and 0-9. A site that uses accented or special characters in page names should not use "strict". ☰ Complete Relaxed Strict	Complete
Page name display stripper	The character(s) to use as a delimiter in the page name. The portion of the name after the character(s) will not be displayed. If the page name display stripper conflicts with the namespace separator, the namespace is used and the page name display is not stripped.	None
Display page name as page title	Display the page name at the top of each page as page title. If not enabled, the page content should contain an h1 heading to function as the page title, or the page description can be used as the title.	Enabled
Display the page name above the page area	Display the page name in small text at the top of each page (above the page's content).	Disabled
Display the page name inside the page content	Display the page name inside the page content.	Disabled
Add an option to hide the page title per wiki page	Enable the page title to not be displayed, on a per-page basis.	Enabled
Anchor links on headings	Cause a link icon to appear on hover over each heading, useful for sharing the URL to an exact location on a page.	Enabled
Show the page description	Display the wiki page description between the page title and the page content.	Disabled
Show the page ID	Each wiki page has a numeric ID and this can be displayed.	Disabled
Show the page version	Display the page version information when viewing the page.	Disabled
Wiki author list style	Change the list format that is used to display the authors of the page. ☰ Creator and Author Business style Collaborative style Page last modified on none (disabled)	none (disabled)




Option	Description	Default
Specify wiki author list style per page	Enable the style in which the author list is displayed to be modified on a per-page basis.	Disabled
Encourage contribution to wiki pages by anonymous	When a page is not editable because the user is anonymous, display the edit buttons anyway. The visitor will be prompted with a log-in screen and will be encouraged to register in order to be able to edit the page.	Disabled
Show/hide icon before headings	For use with the !!- or !!+ syntax. Activating this will display the show/hide icon at the left of the heading; otherwise, it displays below.	Disabled
Wiki page edit buttons location	Specify the location of the Save, Preview, and Cancel buttons on the wiki edit page. ☰ Top Bottom Both	Bottom
Wiki navigation bar location	When using the ...page... <i>Wiki page pagination has not been enabled</i> . page break wiki syntax ☰ Top Bottom Both	Bottom
Wiki top line location	Page description, page actions, icons, backlinks.... ☰ Top Bottom Both Neither	Top
Wiki buttons	Specify the location of the wiki-specific options (such as Backlinks, Page Description, and so on) ☰ Top Bottom Neither	Bottom
Undo		Disabled
Allow minor edits of wiki pages	Minor edits don't flag new content for translation and don't cause watch notifications to be sent (unless "Watch minor edits" is enabled).	Disabled
Allow plugin-specific edits	Add an icon next to each plugin usage to enable editing the plugin in a popup form, without needing to edit the whole page. This feature is unavailable outside wiki pages, whether or not this preference is enabled.	Enabled
Allow section-specific edits	Add an edit icon at the top of each heading-demarcated wiki page section (up to a configurable maximum level) to ease the editing of a single section.	Enabled
Only display focused edit icons (for sections and/or plugins) on request	Focused edit icons will only display after a per-session "Edit icons" preference is enabled. This preference is defined directly from any wiki page.	Enabled

Option	Description	Default
Section-specific edits maximum level	Prevent a proliferation of edit icons for low-level sections. For example, when set to 2, no edit icons will show for third-level (HTML h3) sections. ☰ All 1 2 3 4 5 6	0
Allow HTML	Per-page option: HTML tags are used to create elements of the wiki page, instead of being displayed as code. ⚠ <i>This is potentially dangerous, as it allows raw HTML to be added. Be sure to enable this option only if trusted users can create and edit menus.</i>	Disabled
Mandatory wiki page edit summary	Reject save attempts that do not include an edit summary describing the changes made.	Disabled
Footnotes	Logged-in users can write personal footnotes when editing a page. The footnotes display immediately below the wiki page only to the user who edited it. This is a good way for users to make personal notes about pages..	Disabled
Position of tags selection	Place the tags selection more prominently than under the "Properties" tab. ☰ Properties tab Edit tab Tags tab	Properties tab
Warn before page lock timeout	Provide a JavaScript alert before the user's lock on a page times out.	Enabled
Warn on edit conflict	When another user is editing a page, spreadsheet or tracker item, you will be warned about a possible conflict. This feature is useful to prevent collisions when editing.	Enabled
Edit idle timeout	Select the amount of time (in minutes) after which a user's edit session will expire. If the user does not save or preview their work, it will be lost. Tiki will display a "countdown time" in the user's browser and display an alert when only a minute remains. ☰ 1 2 5 10 15 30	2 minutes
Support Tiki's "wiki syntax" in HTML pages	This allows a mixture of wiki syntax and HTML in the code of wiki pages where HTML is allowed.	Enabled
Full WYSIWYG editor	WYSIWYG is an acronym for "What You See Is What You Get". CKEditor is used to provide a word-processor-like editing experience. 🛠	Disabled
Limit wiki page categories to those under this category	If an error message indicates a mandatory category is required when editing a wiki page, set this option to "None". ☰ None	None

Option	Description	Default
Log bytes changes (+/-) in action logs	 <i>May impact performance</i>	Disabled
Wiki content templates	Prewritten content (probably partial content) for a wiki page	Disabled
Lock Content Templates	Enable users to lock content templates and so prevent others from editing them	Disabled
Wiki auto-toc	Automatic table of contents generation for wiki pages. The generated table of contents will display as a fixed-position aside next to the page contents. This setting can be toggled per page, in the page properties.	Disabled
Table of contents default	Set the default for the table of contents (default "on" and can be toggled per page)  On Off	On
Inline auto-toc	Change the display of the table of contents for wiki pages to inline.	Disabled
Table of contents position	Position of the table of contents, either top, left, right (right is the default)  Right Left Top	Right
Table of contents offset	Offset for table of contents. Useful when there is a fixed navigation bar. If used with inline TOC, will behave as a top margin.	10 pixels
Plugin Attachment	Display an attachment or a list of them	Enabled
Plugin Author	Add popups and color coding that identifies authors	Enabled
Plugin Backlinks	List all pages and tracker items that link to a particular page	Disabled
Plugin Include	Include a portion of another wiki page	Enabled
Force link to included page	When only a portion of page is included, create a "See full page" link to the included page. It has the same effect of setting "linkoriginal=y" parameter every time Plugin Include is used.	Disabled
Plugin List Pages	List pages based on various criteria	Disabled
Plugin Random Include	Include a random page's content.	Disabled
Plugin Show Pages	Find pages by searching within page names	Disabled
Plugin Slideshow	Create a slideshow from the content of a wiki page	Disabled

Option	Description	Default
Plugin Title Search	Search page titles	Disabled
Plugin Transclude	Include the content of another page with certain changes	Enabled
Plugin Wanted Pages	Show location of links to pages not yet created	Disabled
Plugin Footnote	Create automatically numbered footnotes (together with PluginFootnoteArea)	Disabled
Plugin Footnote Area	Create automatically numbered footnotes (together with PluginFootnote)	Disabled
Display footnote content in popover	When the mouse is over the footnote reference, show footnote content in a popover window.	Enabled

The jQuery Sortable Tables feature must be activated for the sort feature to work.

Option	Description	Default
Wiki	Pages and collaboratively authored documents with edit history.	Enabled
Wiki homepage	The default home page of the wiki when no other page is specified. The page will be created if it does not already exist.	HomePage
Wiki URL scheme	Alter the SEFURL pattern for page names.  Use the "View" action to regenerate your URLs after changing this setting.  Replace spaces with dashes Replace spaces with underscores URL Encode (Tiki Classic)	Replace spaces with dashes
Prevent special characters in page names	Some characters in a wiki page name may prevent the page from being easily accessible via the URL or wiki links. This option prevents the creation of page names with such characters.	Enabled
Wiki link format	Level of special characters acceptable in wiki links for page names. For example: Page éàî * "Strict" includes only basic characters such as a-z and 0-9. A site that uses accented or special characters in page names should not use "strict".  Complete Relaxed Strict	Complete
Page name display stripper	The character(s) to use as a delimiter in the page name. The portion of the name after the character(s) will not be displayed. If the page name display stripper conflicts with the namespace separator, the namespace is used and the page name display is not stripped.	None

Option	Description	Default
Display page name as page title	Display the page name at the top of each page as page title. If not enabled, the page content should contain an h1 heading to function as the page title, or the page description can be used as the title.	Enabled
Display the page name above the page area	Display the page name in small text at the top of each page (above the page's content).	Disabled
Display the page name inside the page content	Display the page name inside the page content.	Disabled
Add an option to hide the page title per wiki page	Enable the page title to not be displayed, on a per-page basis.	Enabled
Anchor links on headings	Cause a link icon to appear on hover over each heading, useful for sharing the URL to an exact location on a page.	Enabled
Show the page description	Display the wiki page description between the page title and the page content.	Disabled
Show the page ID	Each wiki page has a numeric ID and this can be displayed.	Disabled
Show the page version	Display the page version information when viewing the page.	Disabled
Wiki author list style	Change the list format that is used to display the authors of the page. ☰ Creator and Author Business style Collaborative style Page last modified on none (disabled)	none (disabled)
Specify wiki author list style per page	Enable the style in which the author list is displayed to be modified on a per-page basis.	Disabled
Encourage contribution to wiki pages by anonymous	When a page is not editable because the user is anonymous, display the edit buttons anyway. The visitor will be prompted with a log-in screen and will be encouraged to register in order to be able to edit the page.	Disabled
Show/hide icon before headings	For use with the !!- or !!+ syntax. Activating this will display the show/hide icon at the left of the heading; otherwise, it displays below.	Disabled
Wiki page edit buttons location	Specify the location of the Save, Preview, and Cancel buttons on the wiki edit page. ☰ Top Bottom Both	Bottom



Option	Description	Default
Wiki navigation bar location	When using the ...page... <i>Wiki page pagination has not been enabled</i> . page break wiki syntax ☰ Top Bottom Both	Bottom
Wiki top line location	Page description, page actions, icons, backlinks.... ☰ Top Bottom Both Neither	Top
Wiki buttons	Specify the location of the wiki-specific options (such as Backlinks, Page Description, and so on) ☰ Top Bottom Neither	Bottom
Undo		Disabled
Allow minor edits of wiki pages	Minor edits don't flag new content for translation and don't cause watch notifications to be sent (unless "Watch minor edits" is enabled).	Disabled
Allow plugin-specific edits	Add an icon next to each plugin usage to enable editing the plugin in a popup form, without needing to edit the whole page. This feature is unavailable outside wiki pages, whether or not this preference is enabled.	Enabled
Allow section-specific edits	Add an edit icon at the top of each heading-demarcated wiki page section (up to a configurable maximum level) to ease the editing of a single section.	Enabled
Only display focused edit icons (for sections and/or plugins) on request	Focused edit icons will only display after a per-session "Edit icons" preference is enabled. This preference is defined directly from any wiki page.	Enabled
Section-specific edits maximum level	Prevent a proliferation of edit icons for low-level sections. For example, when set to 2, no edit icons will show for third-level (HTML h3) sections. ☰ All 1 2 3 4 5 6	0
Allow HTML	Per-page option: HTML tags are used to create elements of the wiki page, instead of being displayed as code. ⚠ <i>This is potentially dangerous, as it allows raw HTML to be added. Be sure to enable this option only if trusted users can create and edit menus.</i>	Disabled
Mandatory wiki page edit summary	Reject save attempts that do not include an edit summary describing the changes made.	Disabled
Footnotes	Logged-in users can write personal footnotes when editing a page. The footnotes display immediately below the wiki page only to the user who edited it. This is a good way for users to make personal notes about pages..	Disabled

Option	Description	Default
Position of tags selection	Place the tags selection more prominently than under the "Properties" tab. ☰ Properties tab Edit tab Tags tab	Properties tab
Warn before page lock timeout	Provide a JavaScript alert before the user's lock on a page times out.	Enabled
Warn on edit conflict	When a user is editing a page, the edit button will be colored red and the name of the user editing the page will be displayed as a tooltip. If the user saves or cancels his or her edit or if the indicated amount of time passes the edit button will be displayed normally. This feature is useful to prevent collisions when editing pages.	Enabled
Edit idle timeout	Select the amount of time (in minutes) after which a user's edit session will expire. If the user does not save or preview their work, it will be lost. Tiki will display a "countdown time" in the user's browser and display an alert when only a minute remains. ☰ 1 2 5 10 15 30	2 minutes
Support Tiki's "wiki syntax" in HTML pages	This allows a mixture of wiki syntax and HTML in the code of wiki pages where HTML is allowed.	Enabled
Full WYSIWYG editor	WYSIWYG is an acronym for "What You See Is What You Get". CKEditor is used to provide a word-processor-like editing experience. 🛠	Disabled
Limit wiki page categories to those under this category	If an error message indicates a mandatory category is required when editing a wiki page, set this option to "None". ☰ None	None
Log bytes changes (+/-) in action logs	⚠ <i>May impact performance</i>	Disabled
Wiki content templates	Prewritten content (probably partial content) for a wiki page	Disabled
Lock Content Templates	Enable users to lock content templates and so prevent others from editing them	Disabled
Wiki auto-toc	Automatic table of contents generation for wiki pages. The generated table of contents will display as a fixed-position aside next to the page contents. This setting can be toggled per page, in the page properties.	Disabled
Table of contents default	Set the default for the table of contents (default "on" and can be toggled per page) ☰ On Off	On

Option	Description	Default
Inline auto-toc	Change the display of the table of contents for wiki pages to inline.	Disabled
Table of contents position	Position of the table of contents, either top, left, right (right is the default) ☰ Right Left Top	Right
Table of contents offset	Offset for table of contents. Useful when there is a fixed navigation bar. If used with inline TOC, will behave as a top margin.	10 pixels
Plugin Attachment	Display an attachment or a list of them	Enabled
Plugin Author	Add popups and color coding that identifies authors	Enabled
Plugin Backlinks	List all pages that link to a particular page	Disabled
Plugin Include	Include a portion of another wiki page	Enabled
Force link to included page	When only a portion of page is included, create a "See full page" link to the included page. It has the same effect of setting "linkoriginal=y" parameter every time Plugin Include is used.	Disabled
Plugin List Pages	List pages based on various criteria	Disabled
Plugin Random Include	Include a random page's content.	Disabled
Plugin Show Pages	Find pages by searching within page names	Disabled
Plugin Slideshow	Create a slideshow from the content of a wiki page	Disabled
Plugin Title Search	Search page titles	Disabled
Plugin Transclude	Include the content of another page with certain changes	Enabled
Plugin Wanted Pages	Show location of links to pages not yet created	Disabled
Plugin Footnote	Create automatically numbered footnotes (together with PluginFootnoteArea)	Disabled
Plugin Footnote Area	Create automatically numbered footnotes (together with PluginFootnote)	Disabled
Display footnote content in popover	When the mouse is over the footnote reference, show footnote content in a popover window.	Enabled

The jQuery Sortable Tables feature must be activated for the sort feature to work.







Wiki Page listings

Option	Description	Default
Latest changes	Enable users (with permission) to see the sortable, searchable list of wiki pages (tiki-lastchanges.php) organized by last-updated date. Use the Configuration area to specify which items to display..	Enabled
List pages	Allow viewing the wiki page list	Enabled
Orphan pages	Allow listing of "orphan pages" (pages not linked to from another page).	Disabled
Pages not in structure	Users (with permission) can see the sortable, searchable list of wiki pages (tiki-listpages.php). Use the Configuration area to specify which items to display.	Disabled
Show map mode buttons in page list		Disabled
Backlinks	Present a list of pages that link to the current page.	Disabled
Categories		Disabled
Categories path		Disabled
Comment of the latest edit		Enabled
Creator		Disabled
Description		Enabled
Description maximum displayed length	 <i>If the text is longer, it will be truncated after that length. Special value "0" disables truncation.</i>	200 characters
Hits		Enabled
Language		Disabled
Last modification date		Enabled
Last modified by		Enabled
Links		Disabled
Name		Enabled
Page ID		Disabled
Default sort order	 Last Modified Name Created Creator Hits Last editor Size	Last Modified

Option	Description	Default
Sort Direction	☰ Descending Ascending	Descending
Page name maximum displayed length	👉 <i>If the text is longer, it will be truncated after that length. Special value "0" disables truncation.</i>	40 characters
Maximum displayed length of the latest edit's comment	👉 <i>If the text is longer, it will be truncated after that length. Special value "0" disables truncation.</i>	200 characters
Size		Disabled
Rating	🏆	Disabled
Status		Disabled
Version		Disabled
Versions		Enabled





The jQuery Sortable Tables feature must be activated for the sort feature to work.

Option	Description	Default
Latest changes	Enable users (with permission) to see the sortable, searchable list of wiki pages (tiki-lastchanges.php) organized by last-updated date. Use the Configuration area to specify which items to display..	Enabled
List pages	Allow viewing the wiki page list	Enabled
Orphan pages	Allow listing of "orphan pages" (pages not linked to from another page).	Disabled
Pages not in structure	Users (with permission) can see the sortable, searchable list of wiki pages (tiki-listpages.php). Use the Configuration area to specify which items to display.	Disabled
Show map mode buttons in page list		Disabled
Backlinks	Present a list of pages that link to the current page.	Disabled
Categories		Disabled
Categories path		Disabled
Comment of the latest edit		Enabled
Creator		Disabled
Description		Enabled

Option	Description	Default
Description maximum displayed length	 If the text is longer, it will be truncated after that length. Special value "0" disables truncation.	200 characters
Hits		Enabled
Language		Disabled
Last modification date		Enabled
Last modified by		Enabled
Links		Disabled
Name		Enabled
Page ID		Disabled
Default sort order	 Last Modified Name Created Creator Hits Last editor Size	Last Modified
Sort Direction	 Descending Ascending	Descending
Page name maximum displayed length	 If the text is longer, it will be truncated after that length. Special value "0" disables truncation.	40 characters
Maximum displayed length of the latest edit's comment	 If the text is longer, it will be truncated after that length. Special value "0" disables truncation.	200 characters
Size		Disabled
Rating		Disabled
Status		Disabled
Version		Disabled
Versions		Enabled


The jQuery Sortable Tables feature must be activated for the sort feature to work.

Option	Description	Default
Latest changes	Enable users (with permission) to see the sortable, searchable list of wiki pages (tiki-lastchanges.php) organized by last-updated date. Use the Configuration area to specify which items to display..	Enabled
List pages	Allow viewing the wiki page list	Enabled
Orphan pages	Allow listing of "orphan pages" (pages not linked to from another page).	Disabled

Option	Description	Default
Pages not in structure	Users (with permission) can see the sortable, searchable list of wiki pages (tiki-listpages.php). Use the Configuration area to specify which items to display.	Disabled
Show map mode buttons in page list		Disabled
Backlinks	Present a list of pages that link to the current page.	Disabled
Categories		Disabled
Categories path		Disabled
Comment of the latest edit		Enabled
Creator		Disabled
Description		Enabled
Description maximum displayed length	 If the text is longer, it will be truncated after that length. Special value "0" disables truncation.	200 characters
Hits		Enabled
Language		Disabled
Last modification date		Enabled
Last modified by		Enabled
Links		Disabled
Name		Enabled
Page ID		Disabled
Default sort order	☰ Last Modified Name Created Creator Hits Last editor Size	Last Modified
Sort Direction	☰ Descending Ascending	Descending
Page name maximum displayed length	 If the text is longer, it will be truncated after that length. Special value "0" disables truncation.	40 characters
Maximum displayed length of the latest edit's comment	 If the text is longer, it will be truncated after that length. Special value "0" disables truncation.	200 characters
Size		Disabled
Rating		Disabled

Option	Description	Default
Status		Disabled
Version		Disabled
Versions		Enabled

The jQuery Sortable Tables feature must be activated for the sort feature to work.


Option	Description	Default
Latest changes	Enable users (with permission) to see the sortable, searchable list of wiki pages (tiki-lastchanges.php) organized by last-updated date. Use the Configuration area to specify which items to display..	Enabled
List pages	Allow viewing the wiki page list	Enabled
Orphan pages	Allow listing of \"orphan pages\" (pages not linked to from another page).	Disabled
Pages not in structure	Users (with permission) can see the sortable, searchable list of wiki pages (tiki-listpages.php). Use the Configuration area to specify which items to display.	Disabled
Show map mode buttons in page list		Disabled
Backlinks	Present a list of pages that link to the current page.	Disabled
Categories		Disabled
Categories path		Disabled
Comment of the latest edit		Enabled
Creator		Disabled
Description		Enabled
Description maximum displayed length	 <i>If the text is longer, it will be truncated after that length. Special value "0" disables truncation.</i>	200 characters
Hits		Enabled
Language		Disabled
Last modification date		Enabled
Last modified by		Enabled

Option	Description	Default
Links		Disabled
Name		Enabled
Page ID		Disabled
Default sort order	☰ Last Modified Name Created Creator Hits Last editor Size	Last Modified
Sort Direction	☰ Descending Ascending	Descending
Page name maximum displayed length	👉 <i>If the text is longer, it will be truncated after that length. Special value "0" disables truncation.</i>	40 characters
Maximum displayed length of the latest edit's comment	👉 <i>If the text is longer, it will be truncated after that length. Special value "0" disables truncation.</i>	200 characters
Size		Disabled
Rating	🏷️	Disabled
Status		Disabled
Version		Disabled
Versions		Enabled



The jQuery Sortable Tables feature must be activated for the sort feature to work.

Workspaces


Option	Description	Default
Workspace UI	Combines multiple site features to create a workspace experience for workgroups.	Disabled
Namespace	Enable namespaces feature for wiki pages. 🏷️	Disabled
Namespace separator	Select the character, symbol, or text to use as the namespace separator.	—
Force all non-namespace page links to the same namespace	If the current page is in a namespace, all links without a namespace will have it added automatically	Disabled
Perspectives	Permits overriding of preferences.	Disabled
Category	Site-wide content category system. Items of different types (wiki pages, articles, tracker items, etc.) can be categorized. Categories can have permissions to control content access	Enabled


Option	Description	Default
Wiki	Pages and collaboratively authored documents with edit history.	Enabled
Workspace root category	ID of the root category containing all workspaces.  <i>This value is automatically managed and should not need to be modified manually.</i>	0

The jQuery Sortable Tables feature must be activated for the sort feature to work.



Option	Description	Default
Workspace UI	Combines multiple site features to create a workspace experience for workgroups.	Disabled
Namespace	Enable namespaces feature for wiki pages. 	Disabled
Namespace separator	Select the character, symbol, or text to use as the namespace separator.	:_:
Force all non-namespace page links to the same namespace	If the current page is in a namespace, all links without a namespace will have it added automatically	Disabled
Perspectives	Permits overriding of preferences.	Disabled
Category	Site-wide content category system. Items of different types (wiki pages, articles, tracker items, etc.) can be categorized. Categories can have permissions to control content access	Disabled
Wiki	Pages and collaboratively authored documents with edit history.	Enabled
Workspace root category	ID of the root category containing all workspaces.  <i>This value is automatically managed and should not need to be modified manually.</i>	0

The jQuery Sortable Tables feature must be activated for the sort feature to work.

Option	Description	Default
Workspace UI	Combines multiple site features to create a workspace experience for workgroups.	Disabled
Namespace	Enable namespaces feature for wiki pages. 	Disabled
Namespace separator	Select the character, symbol, or text to use as the namespace separator.	:_:


Option	Description	Default
Force all non-namespace page links to the same namespace	If the current page is in a namespace, all links without a namespace will have it added automatically	Disabled
Perspectives	Permits overriding of preferences.	Disabled
Category	Site-wide content category system. Items of different types (wiki pages, articles, tracker items, etc.) can be categorized. Categories can have permissions to control content access	Disabled
Wiki	Pages and collaboratively authored documents with edit history.	Enabled
Workspace root category	ID of the root category containing all workspaces.  <i>This value is automatically managed and should not need to be modified manually.</i>	0

The jQuery Sortable Tables feature must be activated for the sort feature to work.


Option	Description	Default
Workspace UI	Combines multiple site features to create a workspace experience for workgroups.	Disabled
Namespace	Enable namespaces feature for wiki pages. 	Disabled
Namespace separator	Select the character, symbol, or text to use as the namespace separator.	:_:
Force all non-namespace page links to the same namespace	If the current page is in a namespace, all links without a namespace will have it added automatically	Disabled
Perspectives	Permits overriding of preferences.	Disabled
Category	Site-wide content category system. Items of different types (wiki pages, articles, tracker items, etc.) can be categorized. Categories can have permissions to control content access	Disabled
Wiki	Pages and collaboratively authored documents with edit history.	Enabled
Workspace root category	ID of the root category containing all workspaces.  <i>This value is automatically managed and should not need to be modified manually.</i>	0

The jQuery Sortable Tables feature must be activated for the sort feature to work.


Workspaces - Areas

Option	Description	Default
Areas	Binding categories and perspectives to each other 	Disabled
Areas root category ID	ID of category whose child categories are bound to a perspective by areas	0


The jQuery Sortable Tables feature must be activated for the sort feature to work.

Option	Description	Default
Areas	Binding categories and perspectives to each other 	Disabled
Areas root category ID	ID of category whose child categories are bound to a perspective by areas	0

The jQuery Sortable Tables feature must be activated for the sort feature to work.

Option	Description	Default
Areas	Binding categories and perspectives to each other 	Disabled
Areas root category ID	ID of category whose child categories are bound to a perspective by areas	0

The jQuery Sortable Tables feature must be activated for the sort feature to work.

Option	Description	Default
Areas	Binding categories and perspectives to each other 	Disabled
Areas root category ID	ID of category whose child categories are bound to a perspective by areas	0

The jQuery Sortable Tables feature must be activated for the sort feature to work.

Webmail

Error: **Cant find webmail** you may choose from one of the following:

ads
articles-articleslistingandview
articles-generalsettings
blogs-blogslistings
blogs-generalsettings
calendar
category
comments
community-communityfeatures

community-plugins
community-socialinteraction
connect-jitsi
connect-settings
copyright
directory
faqs
features-globalfeatures
features-interface
features-programmer
fgal-adminlistings
fgal-enhancements
fgal-generalsettings
fgal-listings
fgal-plugins
fgal-searchindexing
forums-forumlisting
forums-generalsettings
freetags
gal-features
general-dateandtime
general-generalpreferences
general-generalsettings
general-navigation
i18n
intertiki-intertikiclient
intertiki-intertikimasterserver
login-cas
login-generalpreferences
login-ldap
login-ldapexternalgroups
login-oauthserversettings
login-pam
login-passwordblacklist
login-phpbb
login-remotetikiautologin
login-saml2
login-shibboleth
login-webserver
look-customization
look-layout
look-miscellaneous
look-pagination
look-shadowlayer
look-theme
look-UIeffects
maps
messages
metatags-geometatags
metatags-metatags
metatags-robots
module
payment-advancedshoppingcart

payment-payment
payment-plugins
payment-shipping
performance-database
performance-majorslowdown
performance-memcache
performance-newsletter
performance-performance
performance-plugins
performance-redis
performance-sessions
performance-timeandmemorylimits
performance-wiki
polls-polls
polls-surveys
print
profiles-advanced
rating
rss-feeds
rss-generalpreferences
rss-incomingfeeds
rtc-bigbluebutton
rtc-xmpp
score
search-federatedsearch
search-generalsettings
search-searchresults
search-storedsearch
security-generalsecurity
security-openpgp
security-searchresults
security-siteaccess
security-spamprotection
security-tokens
sefurl
semantic
share
socialnetworks-bit
socialnetworks-facebook
socialnetworks-general
socialnetworks-linkedin
socialnetworks-sharethis
socialnetworks-twitter
stats-googleanalytics
stats-piwikanalytics
stats-tikistatistics
textarea-generalsettings
textarea-plugins
trackers-plugins
trackers-settings
user-messagingandnotifications
user-userfeatures
user-userfiles

user-userinfoandpicture
user-usersettings
video-kaltura
webservices
wiki-features
wiki-flaggedrevision
wiki-generalpreferences
wiki-pagelistings
wiki-tools
workspace-areas
workspace-workspaces
wysiwyg
login-openidconnect
security-api
socialnetworks-legacyintegrations
mautic
security-webhooks
trackers-systemtrackers
ads-activatethefeature
ads-plugins
ads-siteadsandbanners
articles-articleslistingandview-articleview
articles-articleslistingandview-listarticles
articles-generalsettings-activatethefeature
articles-generalsettings-features
articles-generalsettings-plugins
articles-generalsettings-sharingonsocialnetworks
blogs-blogslistings-itemstodisplay
blogs-generalsettings-activatethefeature
blogs-generalsettings-comments
blogs-generalsettings-features
blogs-generalsettings-plugins
blogs-generalsettings-sharingonsocialnetworks
calendar-activatethefeature
calendar-generalsettings
calendar-plugins
category-activatethefeature
category-categoryobjects
category-features
category-forum
category-inlineplugins
category-performance
category-plugins
category-poll
category-structure
category-theme
category-tracker
category-wiki
comments-annotations
comments-displayoptions
comments-sitewidefeatures
comments-usingcommentsinvariousfeatures
community-communityfeatures-additionalsoptions

community-communityfeatures-community
community-socialinteraction-activitystream
community-socialinteraction-friendshipandfollowers
community-socialinteraction-goalrecognitionandrewards
community-socialinteraction-score
community-socialinteraction-selectwhichitemstodisplaywhenlistingusers
connect-jitsi-jitsi
connect-settings-tikiconnect
copyright-activatethefeature
copyright-features
directory-activatethefeature
directory-directory
faqs-activatethefeature
faqs-settings
features-globalfeatures-3
features-globalfeatures-4
features-globalfeatures-additionalfeatures
features-globalfeatures-administrativefeatures
features-globalfeatures-interactionwithonlineservicesorothersoftware
features-globalfeatures-mailandsharing
features-globalfeatures-mainfeatures
features-globalfeatures-paymentandaccounting
features-globalfeatures-progressivewebapp
features-globalfeatures-secondaryfeatures
features-interface-ajax
features-interface-experimental
features-interface-jquerypluginsandaddons
features-programmer-customcode
features-programmer-loggingandreporting
fgal-adminlistings-0
fgal-enhancements-access
fgal-enhancements-draw
fgal-enhancements-h5p
fgal-enhancements-scorm
fgal-enhancements-vimeo
fgal-generalsettings-activatethefeature
fgal-generalsettings-features
fgal-generalsettings-quota
fgal-generalsettings-settingsfordiagrams
fgal-generalsettings-settingsformediaalchemy
fgal-generalsettings-settingsforrecordrtc
fgal-generalsettings-uploadregex
fgal-plugins-plugins
forums-generalsettings-activatethefeature
forums-generalsettings-features
forums-generalsettings-searches
forums-generalsettings-threads
freetags-activatethefeature
freetags-plugins
freetags-tags
freetags-tagsearchpage
general-dateandtime-datetimeselectors
general-dateandtime-timezoneandformat

general-generalpreferences-errortracking
general-generalpreferences-loggingandreporting
general-generalpreferences-mail
general-generalpreferences-newsletter
general-generalpreferences-schedulersettings
general-generalpreferences-siteidentity
general-generalpreferences-webcron
general-generalsettings-contact
general-generalsettings-help
general-generalsettings-multidomain
general-generalsettings-server
general-generalsettings-sessions
general-generalsettings-siteterminal
general-generalsettings-stats
general-generalsettings-termsandconditions
general-navigation-breadcrumbs
general-navigation-homepage
general-navigation-menus
general-navigation-namespace
general-navigation-redirects
general-navigation-siteaccess
general-navigation-sitemapprotocol
general-navigation-user
intertiki-intertikiclient-activatethefeature
intertiki-intertikiclient-clientserversettings
intertiki-intertikiclient-currentlylinkedmasterserver
intertiki-intertikimasterserver-activatethefeature
intertiki-intertikimasterserver-masterserversettings
login-cas-cascentralauthenticationservice
login-cas-casserver
login-generalpreferences-captcha
login-generalpreferences-cookies
login-generalpreferences-password
login-generalpreferences-registration
login-generalpreferences-username
login-ldap-ldapadmin
login-ldap-ldapbindsettings
login-ldap-ldapuser
login-ldap-warning
login-ldapexternalgroups-ldapadmin
login-ldapexternalgroups-ldapbindsettings
login-ldapexternalgroups-ldapexternalgroups
login-ldapexternalgroups-ldapgroup
login-ldapexternalgroups-ldapgroupmemberifgroupmembershipcanbefoundingroupattributes
login-ldapexternalgroups-ldapuser
login-ldapexternalgroups-ldapusergroupifgroupmembershipcanbefoundinuserattributes
login-oauthserversettings-0
login-openidconnect-0
login-pam-pam
login-passwordblacklist-password
login-phpbb-phpbb
login-remotetikiautologin-warning
login-saml2-advancedsettings

login-saml2-attributemapping
login-saml2-groupmapping
login-saml2-identityprovidersettings
login-saml2-options
login-saml2-saml2
login-shibboleth-shibboleth
login-webserver-webserver
look-customization-customcode
look-customization-editing
look-layout-logo
look-layout-modulezonevisibility
look-layout-sitereportbar
look-layout-title
look-miscellaneous-contextmenus
look-miscellaneous-favicons
look-miscellaneous-responsiveimages
look-miscellaneous-separators
look-miscellaneous-tabs
look-UIeffects-other
look-UIeffects-standardUIeffects
look-UIeffects-tabUIeffects
maps-defaults
maps-settings
mautic-credentials
mautic-mainsettings
messages-activatefeature
messages-settings
metatags-metatags-facebook
metatags-metatags-general
metatags-metatags-twitter
module-crumbscrumbdescription
module-modulezonevisibility
payment-advancedshoppingcart-advancedcarttrackernamessetup
payment-advancedshoppingcart-cartsettings
payment-advancedshoppingcart-features
payment-advancedshoppingcart-productstrackerssetup
payment-payment-0
payment-plugins-plugins
polls-polls-activatefeature
polls-polls-plugins
polls-polls-settings
polls-surveys-1
polls-surveys-activatefeature
print-articles
print-otherfeatures
print-pdfsettings
print-wikiprintversion
profiles-advanced-repositorystatus
rating-advanced
rating-articles
rating-comments
rating-defaultoptions
rating-globalconfiguration



rating-trackers
rating-userinterface
rating-wiki
score-activate-the-feature
score-causes-scores-older-than-a-certain-number-of-days-to-expire
search-general-settings-features
search-general-settings-file-galleries-searches
search-general-settings-forum-searches
search-general-settings-search
search-search-results-information-to-display-for-each-result
search-search-results-items-to-display-in-search-results
security-general-security-csrf-security
security-general-security-http-headers
security-general-security-smarty-and-features-security
security-general-security-user-encryption
security-openpgp-openpgp-functionality-for-pgp-mime-encoded-email-messaging
security-spam-protection-captcha
sefurl-activate-the-feature
sefurl-settings
semantic-activate-the-feature
share-activate-the-feature
share-site-wide-features
social-networks-legacy-integrations-facebook
social-networks-legacy-integrations-linkedin
social-networks-legacy-integrations-warning
stats-google-analytics-0
stats-piwika-analytics-0
stats-tiki-statistics-0
textarea-general-settings-default-size
textarea-general-settings-external-links-and-images
textarea-general-settings-features
textarea-general-settings-markdown
textarea-general-settings-miscellaneous
textarea-general-settings-plugins
textarea-general-settings-typography
textarea-general-settings-wiki-syntax
textarea-plugins-edit-plugin-icons
textarea-plugins-filter
textarea-plugins-plugin-preferences
textarea-plugins-plugins
trackers-plugins-0
trackers-settings-activate-the-feature
trackers-settings-field-settings
trackers-settings-linked-wiki-pages
trackers-settings-tracker-attachment-preferences
trackers-settings-tracker-force-fill-feature
trackers-settings-trackers-settings
trackers-system-trackers-system-trackers
user-messaging-and-notifications-messages
user-messaging-and-notifications-user-notifications
user-user-features-user-account-features
user-user-files-activate-the-feature
user-user-files-settings

user-userinfoandpicture-profilepicture
user-userinfoandpicture-userinformationdisplay
user-usersettings-adminuserpreferences
user-usersettings-defaultuserpreferences
video-kaltura-activatethefeature
video-kaltura-enablerrelatedtrackerfieldtypes
video-kaltura-kalturadynamicplayer
video-kaltura-kalturapartnersettings
video-kaltura-kalturatikiconfig
video-kaltura-legacysupport
video-kaltura-plugintoembedinpages
webservices-activatethefeature
webservices-options
wiki-features-attachments
wiki-features-comments
wiki-features-generalfeatures
wiki-features-namespaces
wiki-features-redirectandsimilar
wiki-features-structures
wiki-features-wikiwatch
wiki-features-wikiwordsfeatures
wiki-flaggedrevision-0
wiki-generalpreferences-activatethefeature
wiki-generalpreferences-automatictableofcontents
wiki-generalpreferences-editing
wiki-generalpreferences-pagedisplay
wiki-generalpreferences-pagename
wiki-generalpreferences-plugins
wiki-pagelistings-configuration
wiki-pagelistings-options
workspace-areas-activatethefeature
workspace-workspaces-activatethefeature
workspace-workspaces-advanced
workspace-workspaces-dependencies
wysiwyg-activatethefeature
wysiwyg-legacyckeditorwysiwyg
wysiwyg-markdowntoastuiwysiwyg
wysiwyg-relatedfeatures
wysiwyg-wysiwygeditorfeatures



WYSIWYG editor

Option	Description	Default
Full WYSIWYG editor	WYSIWYG is an acronym for "What You See Is What You Get". CKEditor is used to provide a word-processor-like editing experience. 🛠️	Enabled
Plugin WYSIWYG	Use a WYSIWYG editor to edit a section of content 🛠️	Disabled



Option	Description	Default
Full WYSIWYG editor is optional	<p>If WYSIWYG is optional, the wiki text editor is also available. Otherwise only the WYSIWYG editor is used.</p> <p>⚠ <i>Switching between HTML and wiki formats can cause problems for some pages.</i></p>	Enabled
Full WYSIWYG editor is displayed by default	If both the WYSIWYG editor and the text editor are available, the WYSIWYG editor is used by default, for example, when creating new pages	Enabled
Reopen with the same editor	Ensures the editor last used to edit a page or item is used for the next edit as the default.	Enabled
WYSIWYG Height	Vertical or tabbed.	300px
WYSIWYG Preview Style	Vertical or tabbed. ≡ Vertical Tab	Vertical
WYSIWYG Initial Edit Mode	WYSIWYG or Markdown. ≡ WYSIWYG Markdown	WYSIWYG
Usage Statistics	Send hostname to Toast UI.	Disabled
Use Wiki syntax in WYSIWYG	<p>Causes parsed text areas based on wiki syntax when not in WYSIWYG mode to keep using Tiki syntax, instead of HTML as the WYSIWYG editor uses by default. Sometimes referred to as a "visual wiki".</p> <p>👉 <i>Using wiki syntax in WYSIWYG mode will limit toolbar to wiki tools</i></p> <p>⚠ <i>Existing wiki pages remain in HTML, unless they are converted to non-WYSIWYG and back to WYSIWYG (one by one). CKeditor offers possibilities which may not be expressible in Tiki syntax. See issue #6518 for example</i></p>	Enabled
Inline WYSIWYG editor	Seamless inline editing. Uses CKEditor 4. Inline editing enables editing pages without a context switch. The editor is embedded in the wiki page. When used on pages in wiki format, a conversion from HTML to wiki format is required 🛠	Disabled
Full WYSIWYG editor skin	≡ Moono (Default) Kama Bootstrap CK Minimalist Office 2013	Moono (Default)
Typefaces	List of font names separated by semi-colons (";")	sans serif;serif;monospace;...

Option	Description	Default
Extra plugins	In Tiki, CKEditor uses the "standard" package in which some plugins are disabled by default that are available in the "full" package. See http://ckeditor.com/presets for a comparison of which plugins are enabled as standard.  <i>List of plugin names (separated by,)</i>	bidi,colorbutton,divarea,fi...
Wiki paragraph formatting	When the wiki paragraph formatting feature is on, all groups of non-blank lines are collected into paragraphs. Lines can be of any length, and will be wrapped together with the next line. Paragraphs are separated by blank lines. When the Wiki paragraph formatting feature is off, each line will be presented as you write it. This means that if you want paragraphs to be wrapped properly, a paragraph should be all together on one line.	Enabled
Create line breaks within paragraphs	When Wiki paragraph formatting is enabled, this option creates line breaks within paragraphs.	Enabled
Ajax	Allows for efficient retrieval and display of information from the server, thus improving the user experience. This feature is required for the interface for many features to work.  <i>This feature is required for the interface for many features to work properly.</i>	Enabled
Ajax auto-save	Save content during editing, enabling work to be recovered after any interruption. Also enable a real-time preview. This option is required for WYSIWYG plugin processing.	Enabled



The jQuery Sortable Tables feature must be activated for the sort feature to work.

Option	Description	Default
Full WYSIWYG editor	WYSIWYG is an acronym for "What You See Is What You Get". CKEditor is used to provide a word-processor-like editing experience. 	Disabled
Plugin WYSIWYG	Use a WYSIWYG editor to edit a section of content 	Disabled

Option	Description	Default
Full WYSIWYG editor is optional	<p>If WYSIWYG is optional, the wiki text editor is also available. Otherwise only the WYSIWYG editor is used.</p> <p>⚠ <i>Switching between HTML and wiki formats can cause problems for some pages.</i></p>	Enabled
Full WYSIWYG editor is displayed by default	If both the WYSIWYG editor and the text editor are available, the WYSIWYG editor is used by default, for example, when creating new pages	Enabled
Reopen with the same editor	Ensures the editor last used to edit a page or item is used for the next edit as the default.	Enabled
WYSIWYG Height	Vertical or tabbed.	300px
WYSIWYG Preview Style	Vertical or tabbed. ≡ Vertical Tab	Vertical
WYSIWYG Initial Edit Mode	WYSIWYG or Markdown. ≡ WYSIWYG Markdown	WYSIWYG
Usage Statistics	Send hostname to Toast UI.	Disabled
Use Wiki syntax in WYSIWYG	<p>Causes parsed text areas based on wiki syntax when not in WYSIWYG mode to keep using Tiki syntax, instead of HTML as the WYSIWYG editor uses by default. Sometimes referred to as a "visual wiki".</p> <p>👉 <i>Using wiki syntax in WYSIWYG mode will limit toolbar to wiki tools</i></p> <p>⚠ <i>Existing wiki pages remain in HTML, unless they are converted to non-WYSIWYG and back to WYSIWYG (one by one). CKeditor offers possibilities which may not be expressible in Tiki syntax. See issue #6518 for example</i></p>	Enabled
Inline WYSIWYG editor	Seamless inline editing. Uses CKEditor 4. Inline editing enables editing pages without a context switch. The editor is embedded in the wiki page. When used on pages in wiki format, a conversion from HTML to wiki format is required 🛠	Disabled
Full WYSIWYG editor skin	≡ Moono (Default) Kama Bootstrap CK Minimalist Office 2013	Moono (Default)
Typefaces	List of font names separated by semi-colons (";")	sans serif;serif;monospace;...

Option	Description	Default
Extra plugins	In Tiki, CKEditor uses the "standard" package in which some plugins are disabled by default that are available in the "full" package. See http://ckeditor.com/presets for a comparison of which plugins are enabled as standard.  <i>List of plugin names (separated by,)</i>	bidi,colorbutton,divarea,fi...
Wiki paragraph formatting	When the wiki paragraph formatting feature is on, all groups of non-blank lines are collected into paragraphs. Lines can be of any length, and will be wrapped together with the next line. Paragraphs are separated by blank lines. When the Wiki paragraph formatting feature is off, each line will be presented as you write it. This means that if you want paragraphs to be wrapped properly, a paragraph should be all together on one line.	Enabled
Create line breaks within paragraphs	When Wiki paragraph formatting is enabled, this option creates line breaks within paragraphs.	Enabled
Ajax	Allows for efficient retrieval and display of information from the server, thus improving the user experience. This feature is required for the interface for many features to work.  <i>This feature is required for the interface for many features to work properly.</i>	Enabled
Ajax auto-save	Save content during editing, enabling work to be recovered after any interruption. Also enable a real-time preview. This option is required for WYSIWYG plugin processing.	Enabled

The jQuery Sortable Tables feature must be activated for the sort feature to work.

Option	Description	Default
Full WYSIWYG editor	WYSIWYG is an acronym for "What You See Is What You Get". CKEditor is used to provide a word-processor-like editing experience. 	Disabled
Plugin WYSIWYG	Use a WYSIWYG editor to edit a section of content 	Disabled

Option	Description	Default
Full WYSIWYG editor is optional	<p>If WYSIWYG is optional, the wiki text editor is also available. Otherwise only the WYSIWYG editor is used.</p> <p>⚠ <i>Switching between HTML and wiki formats can cause problems for some pages.</i></p>	Enabled
Full WYSIWYG editor is displayed by default	<p>If both the WYSIWYG editor and the text editor are available, the WYSIWYG editor is used by default, for example, when creating new pages</p>	Enabled
Reopen with the same editor	<p>Ensures the editor last used to edit a page or item is used for the next edit as the default.</p>	Enabled
Use Wiki syntax in WYSIWYG	<p>Causes parsed text areas based on wiki syntax when not in WYSIWYG mode to keep using Tiki syntax, instead of HTML as the WYSIWYG editor uses by default. Sometimes referred to as a "visual wiki".</p> <p>👉 <i>Using wiki syntax in WYSIWYG mode will limit toolbar to wiki tools</i></p> <p>⚠ <i>Existing wiki pages remain in HTML, unless they are converted to non-WYSIWYG and back to WYSIWYG (one by one). CKeditor offers possibilities which may not be expressible in Tiki syntax. See issue #6518 for example</i></p>	Enabled
Inline WYSIWYG editor	<p>Seamless inline editing. Uses CKEditor 4. Inline editing enables editing pages without a context switch. The editor is embedded in the wiki page. When used on pages in wiki format, a conversion from HTML to wiki format is required 🧪</p>	Disabled
Full WYSIWYG editor skin	<p>☰ Moono (Default) Kama Bootstrap CK Minimalist Office 2013</p>	Moono (Default)
Typefaces	<p>List of font names separated by semi-colons (";")</p>	sans serif;serif;monospace;...
Extra plugins	<p>In Tiki, CKEditor uses the "standard" package in which some plugins are disabled by default that are available in the "full" package.</p> <p>See http://ckeditor.com/presets for a comparison of which plugins are enabled as standard.</p> <p>👉 <i>List of plugin names (separated by,)</i></p>	bidi,colorbutton,divarea,fi...

Option	Description	Default
Wiki paragraph formatting	When the wiki paragraph formatting feature is on, all groups of non-blank lines are collected into paragraphs. Lines can be of any length, and will be wrapped together with the next line. Paragraphs are separated by blank lines. When the Wiki paragraph formatting feature is off, each line will be presented as you write it. This means that if you want paragraphs to be wrapped properly, a paragraph should be all together on one line.	Enabled
Create line breaks within paragraphs	When Wiki paragraph formatting is enabled, this option creates line breaks within paragraphs.	Enabled
Ajax	Allows for efficient retrieval and display of information from the server, thus improving the user experience. This feature is required for the interface for many features to work. ⚠ <i>This feature is required for the interface for many features to work properly.</i>	Enabled
Ajax auto-save	Save content during editing, enabling work to be recovered after any interruption. Also enable a real-time preview. This option is required for WYSIWYG plugin processing.	Enabled

The jQuery Sortable Tables feature must be activated for the sort feature to work.

Option	Description	Default
Full WYSIWYG editor	WYSIWYG is an acronym for "What You See Is What You Get". CKEditor is used to provide a word-processor-like editing experience. ⚠	Disabled
Plugin WYSIWYG	Use a WYSIWYG editor to edit a section of content ⚠	Disabled
Full WYSIWYG editor is optional	If WYSIWYG is optional, the wiki text editor is also available. Otherwise only the WYSIWYG editor is used. ⚠ <i>Switching between HTML and wiki formats can cause problems for some pages.</i>	Enabled
Full WYSIWYG editor is displayed by default	If both the WYSIWYG editor and the text editor are available, the WYSIWYG editor is used by default, for example, when creating new pages	Enabled

Option	Description	Default
Reopen with the same editor	Ensures the editor last used to edit a page or item is used for the next edit as the default.	Enabled
Use Wiki syntax in WYSIWYG	Causes parsed text areas based on wiki syntax when not in WYSIWYG mode to keep using Tiki syntax, instead of HTML as the WYSIWYG editor uses by default. Sometimes referred to as a "visual wiki". 👉 <i>Using wiki syntax in WYSIWYG mode will limit toolbar to wiki tools</i> ⚠️ <i>Existing wiki pages remain in HTML, unless they are converted to non-WYSIWYG and back to WYSIWYG (one by one). CKeditor offers possibilities which may not be expressible in Tiki syntax. See issue #6518 for example</i>	Enabled
Inline WYSIWYG editor	Seamless inline editing. Uses CKEditor 4. Inline editing enables editing pages without a context switch. The editor is embedded in the wiki page. When used on pages in wiki format, a conversion from HTML to wiki format is required 🛠️	Disabled
Full WYSIWYG editor skin	☰ Moono (Default) Kama Bootstrap CK Minimalist Office 2013	Moono (Default)
Typefaces	List of font names separated by semi-colons (";")	sans serif;serif;monospace;...
Extra plugins	In Tiki, CKEditor uses the "standard" package in which some plugins are disabled by default that are available in the "full" package. See http://ckeditor.com/presets for a comparison of which plugins are enabled as standard. 👉 <i>List of plugin names (separated by,)</i>	bidi,colorbutton,divarea,fi...
Wiki paragraph formatting	When the wiki paragraph formatting feature is on, all groups of non-blank lines are collected into paragraphs. Lines can be of any length, and will be wrapped together with the next line. Paragraphs are separated by blank lines. When the Wiki paragraph formatting feature is off, each line will be presented as you write it. This means that if you want paragraphs to be wrapped properly, a paragraph should be all together on one line.	Enabled
Create line breaks within paragraphs	When Wiki paragraph formatting is enabled, this option creates line breaks within paragraphs.	Enabled

Option	Description	Default
Ajax	<p>Allows for efficient retrieval and display of information from the server, thus improving the user experience. This feature is required for the interface for many features to work.</p> <p>⚠ <i>This feature is required for the interface for many features to work properly.</i></p>	Enabled
Ajax auto-save	<p>Save content during editing, enabling work to be recovered after any interruption. Also enable a real-time preview. This option is required for WYSIWYG plugin processing.</p>	Enabled

The jQuery Sortable Tables feature must be activated for the sort feature to work.