

Plugin Rcontent

Introduced in [Tiki3](#)

Use this [wiki plugin](#) to display content that is pre-programmed to change at set times through the [Dynamic Content](#) feature.

PARAMETERS

Display pre-programmed changing content

*Introduced in Tiki 3. Required parameters are in **bold**.*

[Go to the source code](#)

Preferences required: feature_dynamic_content, wikiplugin_rcontent

Parameters	Accepted Values
------------	-----------------

id	digits
-----------	--------

Description	Default
Numeric value representing the content ID	

Since

3.0

STEPS FOR USING (AS ADMIN)

1. Go to *Control Panels > Features* and enable the "Dynamic Content System"
2. Click on *Dynamic Content* in the Admin menu
3. Create a content block and save it
4. Where the block is now listed, click on the "Program" icon (🔧)

5. Enter new block information and set a future publish date
6. Create as many future blocks as you need by clicking on the "Create New Block" button, enter the content and saving
7. All of these future blocks are associated with a single main block (the id for this main block is at the top of the page where the future blocks are created and listed)
8. Use this plugin to display content that will change according to the future blocks you've set. Use the main id number in the plugin (main blocks are listed at *tiki-list_contents.php*)

EXAMPLES

BASIC SYNTAX

```
{rcontent id=""}
```

RELATED PAGES

See [Dynamic Content Admin](#) for more information.